

Indigenous suicide in cross-cultural context: An overview statement and selective bibliography of sources relevant to Indigenous suicide in Australia, North America, and the Pacific

Joseph P. Reser
School of Psychology
James Cook University
Cairns, Queensland
Joseph.Reser@jcu.edu.au

Overview

Over the past 15 years, there has been recurrent national and international media coverage of Australian Aboriginal self-injury and suicide. This has ranged from the cover of *Time* magazine, to *Four Corners* and *7:30 Report* programming, to poignant coverage in the *Australian*, the *Age*, the *Sydney Morning Herald*, the *Bulletin*, and a recent seven page expose in the *London Sunday Times*. Aboriginal suicide themes have provided a haunting leitmotif in many past and recent films and documentaries, from 'Jedda' and 'Walkabout' to 'State of Shock,' 'The Fringe Dwellers,' and 'Dead Heart,' and indigenous death by hanging has become a confronting and stock symbol of reactance, hopelessness, and oppression in Aboriginal posters, art, writing, and theatre (e.g., Dunnet, in Sutton, 1989). The media representation and coverage of the phenomenon has moved from watch-houses to prisons, from custody deaths to community 'epidemics.' In a number of regions of Australia, Indigenous suicide figures are as high as or higher than other comparison fourth world contexts in the world, and self injury and suicide have constituted a salient and distressing social problem in some Aboriginal communities since the 1960s. Increasingly, self-injury

and suicide are becoming a very real and unprecedented problem in traditional Aboriginal communities in the Northern Territory. Despite this, there has been a remarkable absence of an informed and helpful discussion and review of the nature and parameters of this salient and critical problem.

There is no longer any question that suicide and self injury constitute a major social problem in many Aboriginal communities in Australia (e.g., ABS, 1997; ANAMH, 1980; Baume et al., 1998; CDHFS, 1997; Dalton, 1999; Harrison et al., 1997; Hunter, 1988a,b; Hunter, Reser, Baird & Reser, 1991; McKillop, 1992; Reser, 1989a,b; Tatz, 1999). Sensitivities, at times sensational media coverage, the reluctance of communities and professionals to publicly discuss the problem, concern about suggestion and imitation, and the confounding of deaths in custody with community self injuries and suicides, have conspired to silence the issue. As well, a major impediment to better appreciating and understanding the nature, magnitude, and distribution of the problem has been the absence of reliable Aboriginal and Aboriginal-community-specific epidemiological data, providing cause-of-death statistics and Aboriginal status. Clarity with respect to indigenous suicide is further obscured by the fact that suicide is now the leading cause of death by injury in Australia, and overall the leading cause of death for people under 30 in Australia, with the Aboriginal demographic profile having, proportionally, many more young people (ABS, 1997).

One of the most recent and comprehensive overviews of youth suicide in Australia, which offers comparative data for indigenous youth, is the *Australian Injury Surveillance Unit Bulletin* (Issue 15) of

Harrison, Moller, and Bordeaux (1997). They report an age-adjusted rate of 75 per 100,000 for Aboriginal males aged 15 to 19 in South Australia, Western Australia, and the Northern Territory, for 1993 through 1995. It is noteworthy that deaths by drowning and poisoning were responsible for a greater proportion of indigenous deaths (9% versus 6% and 11% versus 5%) in a recent nationwide review of injury and mortality among Aboriginal Australians from 1990 to 1992 (Harrison & Moller, 1994). Such figures are consistent with research evidence suggesting that drowning, the ingestion of petroleum products and solvents, and lying across the road or railroad tracks, are not uncommon methods of suicide in Aboriginal communities, but are not recorded as such. Single vehicle accidents are undoubtedly responsible for a substantial number of unreported Aboriginal suicide deaths (e.g., Hunter et al., 1999; Tatz, 1999; Wilson, 1988). In Canada, Native American deaths from car accidents are four to five times greater than the national average, and data suggest that as many as 25% of these may be suicide-related (Strickland, 1997).

Cantor & Slater, in a 1994 report on suicide in Queensland, covering the period between 1990 and 1992, suggested an Aboriginal and Torres Strait Islander (ATSI) suicide rate of 20.0 per 100,000 for the Peninsula Region, and 25.0 per 100,000 for the Northern region, as compared with a rate of 15.9 for the State as a whole. These are very conservative rates, as there is a clear under-reporting of Aboriginal suicide deaths in the State, and in Australia as a whole (Harrison & Moller, 1994). What these figures don't tell us is that younger males are dramatically over-represented, with the minimal estimated standardised average rate for males between 15 and 29 being 70.1 per

100,000 (Harrison & Moller, 1994; Queensland Health, 1996). Queensland figures are particularly salient, as the state has one of the largest Aboriginal populations in Australia, it was arguably Aboriginal hanging deaths in custody in Queensland that prompted the Royal Commission inquiry, and disaggregated suicide data for indigenous communities in Queensland has been unavailable until very recently. Queensland had the highest suicide rate in the general population of any state in Australia in 1995, and the highest indigenous suicide rate. In a recently-released study of suicide in Queensland over the six year period from 1990 to 1995 (Baume et al, 1998), the suicide rate calculated for Aboriginal and Torres Strait Islander males aged between 15 and 24 was 112.5 per 100,000. It is particularly noteworthy that 86 of the 96 identified Aboriginal suicide deaths over this six year period were males, and that 85 per cent of these were under the age of 35.

A more adequate understanding of the phenomenon of Aboriginal self-injury and suicide in Australia requires taking a broader, cross-cultural, and historical perspective. The fairer and more informative touchstone for Aboriginal suicide is clearly indigenous suicide elsewhere, particularly in fourth world contexts, not majority culture statistics (e.g., Gergen et al, 1996; Sloan & Montero, 1990). Suicide rates in many indigenous communities are extraordinarily high (Disley & Coggan, 1996; Duclos & Manson, 1994; Hezel, 1987; Hezel, Rubinstein, & White, 1985; Leenaars, 1997; May, 1990; Robillard & Marsella, 1987; Sigurdson, Staley, Matas, Hildahl, & Squair, 1996; Westlake, Van Winkle & May, 1993; Wyche & Rotheram-Borus, 1990), and areas range from Micronesia, to the Arctic, to the

American Southwest, to Lapland, to Brazil. Australian Aboriginal suicide and self-injury must also be seen and understood in the local historical and regional contexts in which it is occurring, and in the context of youth suicide generally, in Australia and internationally.

Youth suicide takes on a different character and complexity when considered from a cross-cultural perspective. Clearly cultural factors influence the nature and extent of family conflict and support systems, the challenge of moving from adolescence to adult, the nature of acculturation and identity problems, the nature and magnitude of inter-generational discontinuities for particular cultural groups, the cultural construction and meanings of the act itself, the nature of self and emotion constructions, coping strategies for dealing with emotions, help-seeking behaviours, causal ontologies, etc. (Baumeister, 1986; Bee-Gates, Howard-Pitney, LaFromboise, & Rowe, 1996; Berry, 1990; Brady, 1992; Condon, 1990; Eckersley, 1988; Huffine, 1989; Jessor, 1993; Kim & Berry, 1993; Kitayama & Markus, 1994; Kleinman, 1988; Lee, 1981; Lutz & White, 1986; Marsella & Dash-Scheuer, 1988; O'Neil, 1986; Radley, 1993; Schlegel & Barry, 1991; Stiffman & Davis, 1990; Shweder, 1991; Triandis, 1996). Cultural factors can also dramatically influence definitions, criteria, reporting biases, and suicide statistics (Atkinson, 1978; Diekstra, 1996; Douglas, 1967; Reser, 1989a).

There are important touchstones to be found in the North American experience of indigenous suicide, where most research has been undertaken, and where experience with national and community-based prevention programs spans three decades (NIMH, 1973; *While People Sleep*, 1973). Youth suicides have been an

ubiquitous phenomenon in Native American communities for the past 40 years (Dizman, 1967; Frederick, 1975; Leighton & Hughes, 1955; Levy, 1965; McIntosh & Santos, 1980; Shore, 1975; Webb & Willard, 1975), and continue to be an arena of considerable anguish and concern (Blum, Harmon, Harris, Bergeisen, & Resnick, 1992; Bechtold, 1988; Berlin, 1987; Duclos & Manson, 1994; Grossman, Milligan, & Deyo, 1991; Kirmayer, 1994; Leenaars, 1997; Malchy, Enns, Young, & Cox, 1997; May & McClosky, 1997; Milligan & Deyo, 1991, OTA, 1990; Potthoff et al., 1998; Royal Commission on Aboriginal Peoples, 1995; Sigurdson et al., 1994; Strickland, 1996; USDHHS, 1989). This experience has included the phenomenon of suicide 'clusters' in small remote communities, a situation where a cluster of suicides and suicide attempts occurs over a period of weeks or months, mediated by suggestion, modelling, identification, and other factors, with devastating impact on a community. The many common denominators relating to suicide rates and circumstances among small, rural, indigenous communities in Australia and North America, for example, suggest both shared etiologies and noteworthy differences. Similarities include the preponderance of young male deaths, and, for this cohort, the role of binge drinking, the impulsiveness of the act, the use of guns and hanging, and the diverse regional patterns and frequent cluster character of proximate suicides. Differences include different histories and contexts, and different cultural assumptions, understandings, idioms of distress, situational triggers, and causal attributions with respect to self-injury and substance use and abuse.

Suicide is the second leading cause of death for American Indian adolescents,

and suicide deaths among Indian and Alaskan Native youth are two to four times higher than the rates for other groups of the same age in the United States and Canada, though these rates vary considerably by tribe and region (e.g., Keane, Dick, Bechtold, & Manson, 1996; Levy, 1994, 1996; May & Van Winkle, 1994; Shore, 1994). Suicide attempt figures for Native American youth are thought to exceed 20 per cent. Reported age-adjusted suicide rates for Native American and Alaska Native youth vary dramatically with date, group, and region. In a number of recent reports, rates for males 15 to 24 years have approached and exceeded 100 per 100,000 (Benetau, 1988; Cooper, Corrado, Karlberg, & Adams, 1992; Duclos & Manson, 1994; Gessner, 1997; Kirmayer, 1994; Malchy et al, 1997; Westlake et al., 1993). The problem has proven to be a particularly challenging, devastating, and cross-generational phenomenon which shows some surprising similarities with contemporary youth suicide in the general population.

Much of the recent research on suicide assessment and prevention in North America has been undertaken by Native American psychologists, working with or at the American Indian and Alaska Native Mental Health Research Center in Denver, Colorado (e.g., Duclos & Manson, 1994; Fleming, 1994; La Fromboise, 1996; Trimble, 1988). These more recent efforts have focused on more accurately establishing the nature, location, and extent of the phenomenon, on longitudinal cohort studies of school-based youth, on developing, trialing, and validating more applicable diagnostic and screening instruments, on the role and cultural context of substance abuse, and on the development and evaluation of intervention and prevention programs. There now exist a number of standardised

and trialed risk assessment and preventive interventions that are widely used in Native American communities (Berlin, 1985; DeBruyn, Hymbaugh, Simpson, Wilkins, & Nelson, 1994; Indian Health Service, 1991; Keane et al., 1996; LaFromboise, 1996; LaFromboise & Howard Pitney, 1994; Levy & Kunitz, 1987; Manson, 1988; Manson, Beals, Dick, & Duclos, 1989; Norton & Manson, 1997), for example, the American Indian Life Skills Development Curriculum, developed by LaFromboise and others.

The following bibliography was compiled in the context of co-authoring an APS Discussion Paper on suicide (Graham et al, 1999). The broader mandate and focus of that paper did not allow for a cross-cultural analysis and consideration of indigenous suicide in Australia. This bibliography has therefore been compiled to assist those readers who wish to selectively explore source material of particular relevance to psychological approaches and considerations and counselling interventions, particularly in the indigenous, fourth world contexts of North America, the Pacific, and Australia. This of course includes the South Pacific and North Australia.

Bibliography

Abbey, S., Hood, E., Young, L. & Malcolmson, S. (1993) Psychiatric consultation in the Eastern Canadian Arctic: III Mental health issues in Inuit women in the Eastern Arctic. *Canadian Journal of Psychiatry*, 38, 32-35.

Ackerson, L. M., Dick, R. W., Manson, S. M., & Baron, A. E. (1990). Properties of the inventory to diagnose depression in American Indian adolescents. *Journal of the American Academy of Child Adolescent Psychiatry*, 29, 601-607.

- Aldridge, D. & St. John, K. (1991). Adolescent and pre-adolescent suicide in Newfoundland and Labrador. *Canadian Journal of Psychiatry*, 36, 432-436.
- Atkinson, J. M. (1978). *Discovering suicide: Studies in the social organization of sudden death*. London: The Macmillan Press.
- Atkinson, D.R., Morten, G. & Sue, D.W. (1998) *Counseling American minorities*. Fifth Edition. New York: McGraw-Hill.
- Attneave, C. I. (1985). Practical counselling with American Indian and Alaska Native clients. In P. Pederson (Ed.), *Handbook of cross-cultural counselling and therapy*. Connecticut: Greenwood Press.
- Australian Bureau of Statistics (ABS). (1997). *The health and welfare of Australia's Aboriginal and Torres Strait Islander people*. Canberra: AGPS.
- Australian National Association for Mental Health (ANMH). (1981). *Aboriginals and mental health: Hitting our heads against a brick wall*. Proceedings of the Aboriginal and Mental Health Conference held in Sydney, 1980.
- Australian Rural Health Research Institute (ARHRI). (1998). *Support to rural communities project: Summary project description*. Wagga Wagga, NSW: The Gilmore Centre.
- Bachman, R. (1992). *Death and violence on the reservation: Homicide, family violence, and suicide in American Indian populations*. New York: Auburn House.
- Barber, J. G., Punt, J., & Albers, J. (1988). Alcohol and power on Palm Island. *Australian Journal of Social Issues*, 23, 87-101.
- Baume, P. J. M., Cantor, C. H., & McTaggart, P. G. (1998). *Suicides in Queensland: A comprehensive study*. Brisbane: Australian Institute for Suicide Research and Prevention.
- Baumeister, R. F. (1986). *Identity: Cultural change and the struggle for self*. New York: Oxford University Press.
- Bechtold, D. W. (1988). Cluster suicide in American Indian adolescents. *American Indian and Alaska Native Mental Health Research*, 1, 26-35.
- Bee-Gates, D., Howard-Pitney, B., LaFromboise, T., & Rowe, W. (1996.) Help-seeking behavior of Native American high school students. *Professional Psychology: Research and Practice*, 27, 495-499.
- Benetau, R. (1988). Trends in suicide. *Canadian Social Trends*, 11, 22-24.
- Berlin, I. N. (1985). Prevention of adolescent suicide among Native American tribes, *Adolescent Psychiatry*, 12, 77-93.
- Berlin, I. N. (1987). Suicide among American Indian adolescents: An overview. *Suicide and Life-Threatening Behavior*, 17, 218-232.
- Bernal, M., & Castro, F. (1994). Are clinical psychologists prepared for service and research with ethnic minorities? *American Psychologist*, 49, 797-805.
- Berry, J. W. (1990). Psychology of acculturation. In R.W. Brislin (Ed.), *Applied cross-cultural psychology* (pp. 232-253). Newbury Park, CA: California: Sage.
- Betancourt, H., & Lopez, S. R. (1993). The study of culture, ethnicity, and race in American psychology. *American Psychologist*, 48, 629-637.
- Blum, R., Harmon, B., Harris, L., Bergeisen, L., & Resnick, M. (1992). American Indian-Alaska Native youth health. *Journal of the American Medical Association*, 267, 1637-1644.
- Biles, D., & McDonald, D. (1992). *Deaths in custody Australia, 1980-1989: Research papers*. Canberra: Australian Institute of Criminology.

Biles, D., McDonald, D., & Fleming, J. (1991). Aboriginal and non-Aboriginal deaths in custody and police custody. In A. Gray (Ed.), *A matter of life and death* (pp. 159-179). Canberra: Aboriginal Studies Press.

Bolger, A. (1991). *Aboriginal women and violence: A report for the Criminology Research Council and the Northern Territory Commissioner of Police*. Darwin: Australian National University, North Australian Research Unit.

Bollen, K. A., & Phillips, D. P. (1982). Imitative suicides. *American Sociological Review*, 47, 802-810.

Booth, H. (1995). *Pacific Island suicide in comparative perspective*. Working paper in demography No. 76. Canberra: Australian National University, Research School of Social Sciences.

Brady, M. (1992). *The health of Young Aboriginal Australians: Social and cultural issues. Report of the National Youth Affairs Research Scheme*. Australian Institute of Aboriginal and Torres Strait Islander Studies, Canberra.

Brady, M. (1995). Culture in treatment. Culture as treatment. A critical appraisal of developments in addictions programs for indigenous North Americans and Australians. *Social Science and Medicine*, 41, 1489-1498.

Brice, G. (1994) *Investigating Aboriginal self-harm: A reflexive and historical, sociological analysis of Aboriginal and non-Aboriginal social health in urban Australia*. Masters Thesis. Flinders University of South Australia.

Briggs, J. L. (1970). *Never in anger: Portrait of an Eskimo family*. Cambridge, MA: Harvard University Press.

Cantor, C., & Coory, M. (1993). Is there a rural suicide problem? *Australian Journal of Public Health*, 17, 382-384.

Cantor, C. H., & Slater, P. J. (1995). *Suicide in Queensland 1990-1992 by health region*. Queensland Health: Suicide research and prevention program.

Clayer, J., & Czechowicz, A. (1991). Suicide by Aboriginal people in South Australia: Comparison with suicide deaths in the total urban and rural populations. *The Medical Journal of Australia*, 154, 683-685.

Commonwealth Department of Health and Family Services (CDHFS). (1997). *Youth suicide in Australia: A background monograph* (2nd ed.). Canberra: Australian Government Publishing Service.

Cooper, M., Karlberg, A.M. & Adams, L.P. (1991) *Aboriginal suicide in British Columbia*. Burnaby, B.C.: British Columbia Institute on Family Violence.

Condon, R. G. (1990). The rise of adolescence: Social change and life stage dilemmas in the central Canadian Arctic. *Human Organization*, 49, 266-279.

Cooper, M., Corrado, R., Karlberg, A. M., & Adams, L. P. (1992). Aboriginal suicide in British Columbia: An overview. *Canada's Mental Health*, September, 19-23.

Cooper, M. (1995) Aboriginal suicide rates: Indicators of needy communities. In P.H. Stephenson, S.J. Elliott, L.T. Foster, & J. Harris (Eds) *A persistent spirit: Towards understanding Aboriginal health in British Columbia* (pp. 207-222). Victoria, British Columbia: University of Victoria:

Cross, S. (1995). Self construals, coping and stress in cross-cultural adaptation. *Journal of Cross-Cultural Psychology*, 26, 673-697.

d'Abbs, P., Hunter, E., Reser, J., & Martin, D. (1994). *Alcohol Misuse and Violence: Alcohol-related violence in Aboriginal and Torres Strait Island communities*. Canberra: Commonwealth

Department of Human Services and Health, 1-205.

Dalton, V. (1999) *Aboriginal deaths in prison 1980 to 1998: National overview. Trends & issues in crime and criminal justice No. 131.* Canberra: Australian Institute of Criminology.

Dana, R.H. (1998) *Understanding cultural identity in intervention and assessment.* Thousand Oaks, CA.: Sage.

Davidson, G., & Reser, J. P. (1996). Construing and constructs: Personal and cultural. In B. M. Walker, J. Costigan, L. L. Viney & B. Warren (Eds.), *Personal construct theory: A psychology for the future* (pp. 105-128). Melbourne: APS Imprint Books.

DeBruyn, L., Hymbaugh, K., Simpson, D., Wilkins, B., & Nelson, S. (1994). When communities are in crisis: Planning for response to suicides and suicide attempts among American Indian tribes. *American Indian and Alaska Native Mental Health Research, 7.*

DeBruyn, A., Hymbaugh, H., & Valdez, S. (1988). Helping communities address suicide and violence. *American Indian and Alaska Native Mental Health Research, 1,* 56-65.

DeBruyn, L. M., May, P. A., & Shaker, M. (1997). *Suicide intervention and prevention: Evaluation of community-based programs in three American Indian communities – final report.* Atlanta: US Department of Health and Human Services, CDC.

Diekstra, R.F.W. (1996). The epidemiology of suicide and parasuicide. *Archives of Suicide Research, 2,* 1-29.

Dinges, N. D., & Joos, S. K. (1985, April). *Stress, coping and health: Models of interaction for Indian and native populations.* Conference report prepared for the conference Health and Behavior: A research agenda for American Indians and Alaska Natives, April 9-11. Mt Hood, Oregon.

Disley, B., & Coggan, C. (1996). Youth suicide in New Zealand. *Crisis, 17,* 116-122.

Douglas, J. D. (1967). *The social meanings of suicide.* Princeton, NJ: Princeton University Press.

Douglas, M. (Ed.). (1987). *Constructive drinking: Perspectives on drink from anthropology.* New York: Cambridge University Press.

Duclos, C., & Manson, S. (Eds.). (1994). Calling from the rim: Suicidal behavior among American Indian and Alaska Native adolescents. *American Indian and Alaska Native Mental Health Research, 4,* Monograph. Denver, CO: University of Colorado Health Sciences Center.

Dudgeon, P., & Oxenham, D. (1990). *The complexity of Aboriginal diversity: Identity and kindredness.* Ngulaig (Monographs of the Aboriginal and Torres Strait Islanders Studies Unit, University of Queensland), No. 1 (whole issue).

Dudley, M. J., Kelk, N. J., Florio, T. M., Howard, J. P., & Waters, B. G. H. (1998) Suicide among young Australians, 1964-1993: An interstate comparison of metropolitan and rural trends. *Medical Journal of Australia, 169,* 77-80.

Dudley, M., Waters, B., Kelk, N., & Howard, J. (1992). Youth suicide in New South Wales: Urban rural trends. *Medical Journal of Australia, 156,* 83-88.

Dunlop, S. (1988). *All that rama rama mob: Aboriginal disturbed behaviour in Central Australia.* Alice Springs: Central Australian Aboriginal Congress.

Eastwell, H. D. (1988). The low risk of suicide among the Yolngu of the Northern Territory: The traditional Aboriginal pattern. *Medical Journal of Australia, 148,* 338-340.

Eckerman, A. K. (1992). *Binan goonj: Bridging cultures in Aboriginal*

health. Armidale: University of New England Press.

Eckersley, R (1988). *Casualties of change: the predicament of youth in Australia*. Melbourne: Commission for the Future.

Everett, F., Proctor, N., & Cartmell, B. (1983). Providing psychological services to American Indian children and families. *Professional Psychology: Research and Practice*, 14, 588-603.

Fleming, C. (1994). The Blue Bay healing center: Community development and healing as prevention. *American Indian and Alaska Native Mental Health Research*, 4, 134

Forbes, N., & Van der Hyde, V. (1988). Suicide in Alaska from 1978 to 1985: Updated data from state files. *American Indian and Alaska Native Mental Health Research*, 1, 36-55.

Fox, J., Manitowabi, D. & Ward, J.A. (1984) An Indian community with a high suicide rate – 5 years after. *Canadian Journal of Psychiatry*, 425-427.

Frederick, C. (1975). *Suicide, homicide and alcoholism among American Indians*. Washington, DC: U S Department of Health, Education, and Welfare. (ADM 76-42).

French, L. (1997) *Counseling American Indians*. New York: University Press of America.

Garland, A. F., & Zigler, E. (1993). Adolescent suicide prevention: Current research and social policy implications. *American Psychologist*, 48, 169-182.

Garvey, D. (1994, September/October). *Which way psychology? - Conceptualising the involvement of psychology in indigenous issues*. A paper presented at the 29th Annual Conference of the Australian Psychological Society, Wollongong.

Gopaul-McNicol, S. & Brice-Baker, J. (1998). *Cross-cultural practice:*

Assessment, treatment and training. New York: Wiley.

Gergen, K. J., Gulerce, A., Lock, A., & Misra, G. (1996). Psychological science in cultural context. *American Psychologist*, 51, 496-503.

Goldney, R. D., & Reser, J. P. (1989). Aboriginal deaths in custody. *Medical Journal of Australia*, 151, 181-182.

Gould, M. S., Wallenstein, S., & Kleinman, M. (1990). Time-space clustering of teenage suicide. *American Journal of Epidemiology*, 131, 71-78.

Graham, A., Reser, J., Scuderi, C., Smith, M., Turley, B., & Zubrick, S. (1999). *Suicide: An Australian Psychological Society Discussion Paper*. Melbourne: Australian Psychological Society.

Grand Council Treaty No. 3 (1973). *While people sleep: Sudden deaths in the Kenora area*. Kenora, Ontario: Grand Council Treaty No. 3.

Gray, A. (Ed.). (1990). *A matter of life and death*. Canberra: Aboriginal Studies Press.

Grossman, D., Milligan, C., & Deyo, R. (1991). Risk factors for suicide attempts among Navajo adolescents. *American Journal of Public Health*, 81, 870-874.

Harras, A. (1987). *Issues in adolescent Indian health: Suicide*. Washington, DC, U.S. Department of Health and Human Services. Tuscon, AR: Indian Health Service.

Harrison, J., & Moller, J. (1994). Injury mortality amongst Aboriginal Australians. *Australian Injury Prevention Bulletin*, Issue 7, September.

Harrison, J., Moller, J., & Bordeaux, S. (1997). Youth suicide and self-injury Australia. *Australian Injury Prevention Bulletin*, Issue 15 (supplement), March.

Hazell, P. (1993). Adolescent suicide clusters: Evidence, mechanisms and prevention. *Australian and New Zealand Journal of Psychiatry*, 27, 653-665.

Herring, R.D. (1999) *Counseling with Native American Indians and Alaska Natives: Strategies for helping professionals*. Thousand Oaks, CA: Sage.

Hezel, F. X. (1987). Truk suicide epidemic and social change. *Human Organization*, 46, 283-291.

Hezel, F. X., Rubinstein, D. H., & White, G. M. (Eds.). (1985). *Culture, youth, and suicide in the Pacific*. Honolulu: University of Hawaii.

House of Representatives Standing Committee on Family and Community Affairs (HRSCFCA). (1997). *Aspects of youth suicide*.

Howard-Pitney, B., LaFromboise, T. D., Basil, M., September, B., & Johnson, M. (1992). Psychological and social indicators of suicide ideation and suicide attempts in Zuni adolescents. *Journal of Counseling and Clinical Psychology*, 60, 473-476.

Huffine, C. (1989). Social and cultural risk factors for youth suicide. In L. Davidson & M. Linnoila (Eds.), *Report of the secretary's task force on youth suicide. Volume II. Risk Factors for youth suicide* (pp56-70). Washington: Department of Health and Human Services.

Hunter, E. M. (1988a). Aboriginal suicides in custody: A view from the Kimberley. *Australian and New Zealand Journal of Psychiatry*, 22, 273-282.

Hunter, E. M. (1988b). On Gordian knots and nooses: Aboriginal suicide in the Kimberley. *Australian and New Zealand Journal of Psychiatry*, 22, 265.

Hunter, E. (1991a). An examination of recent suicides in remote Australia: Further information from the Kimberley. *Australian and New Zealand Journal of Psychiatry*, 25, 197-202.

Hunter, E. M. (1991b). The intercultural and socio-historical context of Aboriginal personal violence in remote Australia. *Australian Psychologist*, 26, 89-98.

Hunter, E. M. (1993). *Aboriginal health and history: power and prejudice in remote Australia*. Melbourne and New York: Cambridge University Press.

Hunter, E. (1995). Is there a role for prevention in Aboriginal mental health? *Australian Journal of Public Health*, 19, 573-579.

Hunter, E., Reser, J.P., Baird, M., & Reser, P. (1999). *An analysis of suicide in indigenous communities of far north Queensland. A report to the Commonwealth Department of Health*. Cairns, Queensland: James Cook University and the University of Queensland.

Indian Health Service. (1990). *A national plan for Native American mental health services*. Washington, DC: Indian Health Service

Ivey, A. E., Ivey, M. B., & Simek-Morgan, L. (1993). *Counseling and psychotherapy: A multicultural perspective* (3rd ed.). Sydney: Allyn & Bacon.

Jenkins, J. H. (1994). Culture, emotion and psychopathology. In S. Kitayama & H. Markus (Eds.), *Culture and emotion: Empirical studies of mutual influence* (pp. 307-335). Washington, DC: American Psychological Association.

Jessor, R. (1993). Successful adolescent development among youth in high-risk settings. *American Psychologist*, 48, 117-126.

Keane, E. M., Dick, R. W., Bechtold, D. W., & Manson, S. M. (1996). *Journal of Abnormal Child Psychology*, 24, 735-748.

Kettl, P., & Bixler, E.O. (1993). Alcohol and suicide in Alaska Natives. *American Indian and Alaska Native Mental Health Research*, 5, 34-45.

- Kim, U. & Berry, J. W. (1993). *Indigenous psychologies: Research and experience in cultural context*. Newbury Park, CA: Sage.
- King, R., Appleby, M., & Brown, C. (1995). *Suicide awareness for Aboriginal communities*. Narellan, NSW: Rose Education Training & Consultancy.
- Kirmayer, L. J. (1994). Suicide among Canadian aboriginal people. *Transcultural Psychiatric Review*, 31, 8-11.
- Kitayama, S., & Markus, H. (1994). *Culture and emotion: Empirical studies of mutual influence*. Washington, D.C.: American Psychological Association.
- Kleinman, A. (1988). *The illness narratives: Suffering, healing and the human condition*. New York: Basic Books.
- Kleinman, A., & Good, B. (Eds.). (1979). *Culture and depression*. Berkeley, CA: University of California Press.
- Kraus, R. F., & Buffler, P. A. (1979). Sociocultural stress and the American Native in Alaska: An analysis of changing patterns of psychiatric illness and alcohol abuse among Alaska Natives. *Culture, Medicine and Psychiatry*, 3, 11-151.
- Kunitz, S. J. (1994). *Disease and social diversity: The European impact on the health of non-Europeans*. New York: Oxford University Press.
- Kunitz, S. J., & Levy, J. E. (1994). *Drinking careers: A twenty-five year study of three Navajo populations*. New Haven: Yale University.
- La Fromboise, T. D. (1988). American Indian mental health policy. *American Psychologist*, 43, 388-397.
- La Fromboise, T. D. (1996). *American Indian life skills development curriculum*. Madison, Wisconsin: University of Wisconsin Press.
- La Fromboise, T. D., & Bigfoot, D. (1988). Cultural and cognitive considerations in the prevention of American Indian adolescent suicide. *Journal of Adolescence*, 11, 139-153.
- La Fromboise, T. D., & Howard-Pitney, B. (1994). The Zuni life skills development curriculum: A collaborative approach to curriculum development. *American Indian and Alaska Native Mental Health Research*, 4, Monograph.
- La Fromboise, T.D., Trimble, J. & Mohatt, G. (1990) Counseling intervention and American Indian tradition: An integrative approach. *The Counseling Psychologist*, 18, 628-654.
- Langton, M. (1993). Rum, seduction and death: 'Aboriginality' and alcohol. *Oceania*, 63, 195-206.
- Lee, P. D. K. and Newton, N. (1981). Cultural aspects of coping. *International Journal of Social Psychiatry*, 27, 13-22.
- Leenaars, A. A. (1997). *Suicide in the Canadian Inuit*. Paper presented at the XIX Congress of the International Association for Suicide Prevention. Adelaide, Australia.
- Leenars, A.A., Anawak, J., Brown, C. Hill-Keddie, T. & Taparti, L. (2000) Genocide and suicide among indigenous people: The north meets the south. *The Canadian Journal of Native Studies*, in press.
- Leenaars, A., Wenckstern, S., Sakinovsky, R., Dyck, R., Kral, M., & Bland, R. (1997). (Eds.). *Suicide in Canada*. Toronto: University of Toronto Press.
- Leenaars, A., Wenckstern, S., Sakinovsky, I., Dyck, R., Kral, M. & Bland, R. (1998) (Eds), *Suicide in Canada*. Toronto: University of Toronto Press.
- Leighton, A., & Hughes, C. C. (1955). Notes on Eskimo patterns of suicide. *Southwestern Journal of Anthropology*, 11, 327-338.

Lester, M. (1996). Aboriginal suicide in British Columbia. *Perceptual and Motor Skills*, 83, 1202.

Levy, J. E. (1994). Commentary. In C. Duclos & S. Manson (Eds.), *Calling from the rim: Suicidal behavior among American Indian and Alaska Native adolescents* (pp.95-100). American Indian and Alaska Native Mental Health Research, 4, Monograph. Denver: University of Colorado Health Sciences Center.

Levy, J. E. (1965). Navajo suicide. *Human Organization*, 24, 308-318.

Levy, J. E., & Kunitz, S. J. (1987). A suicide prevention program for Hopi youth. *Social Science and Medicine*, 25, 931-940.

Levy, R. (1973). *Tahitians: Mind and experience in the Society Islands*. Chicago: University of Chicago Press.

Lutz, C. A. (1988). *Unnatural emotions: Everyday sentiments in a Micronesia atoll and their challenge to Western theory*. Chicago: University of Chicago Press.

Lutz, C., & White, G. M. (1986). The anthropology of emotions. *Annual Review of Anthropology*, 15, 405-436.

MacAndrew, C. & Edgerton, R. B. (1969). *Drunken comportment*. Chicago: Aldine.

Macpherson, C., & Macpherson, L. (1987). Towards an explanation of recent trends in suicide in Western Samoa. *Man*, 22, 305-330.

Malchy, B., Enns, M. W., Young, T. K., & Cox, B. J. (1997). Suicide among Manitoba's aboriginal people. *Canadian Medical Association Journal*, 156, 133-1

Manson, S. M. (1982). (Ed.). *New directions in prevention among American Indian and Alaska Native communities*. Portland, OR: Oregon Health Sciences University.

Manson, S. M. (1988). (Ed.). *New directions in prevention among American*

Indians and Alaska Native communities. Denver, CO: University of Colorado Health Services Center.

Manson, S. M., Ackerson, L. M., Dick, R. W., Baron, A. E., & Fleming, C. M. (1990). Depressive symptoms among American Indian adolescents: Psychometric characteristics of the Center for Epidemiology Studies Depression Scale (CES-D). *Psychological Assessment*, 2, 231-237.

Manson, S. M., Beals, J. Dick, R., & Duclos, C. W. (1989). Risk factors for suicide among Indian adolescents at a boarding school. *Public Health Reports*, 104, 609-614.

Manson, S. M., & Dinges, N. G. (1988). (Eds.). *Behavioral health issues among American Indians and Alaska Natives: Explorations on the frontiers of the bio-behavioral sciences*. Denver, CO: American Indian and Alaska Native Mental Health Research National Center.

Martin, D. F. (1993). *Autonomy and relatedness*. PhD Thesis. Canberra, Australian National University.

May, P. A. (1988). Suicide and self-destruction among American Indian youths. *American Indian and Alaska Native Mental Health Research*, 1, 52, 69.

May, P. A. (1990). A bibliography on suicide and suicide attempts among American Indians and Alaska Natives. *Omega*, 21, 195-210

May, P. A. (1992). Alcohol policy considerations for Indian reservations and bordertwon communities. *American Indian and Alaska Native Mental Health Research*, 4, 5-59.

May, P. A., & Dizmang, L. H. (1974). Suicide and the American Indian. *Psychiatric Annals*, 4, 22-28.

May, P. A., & McClosky, J. (1997). *Suicide and suicide attempts among American Indians and Alaska Natives: An annotated bibliography* (3rd ed.). Albuquerque, New Mexico:

University of New Mexico, Center on Alcoholism, Substance Abuse and Addictions.

May, P. A., & Van Winkle, N. (1994). Indian adolescent suicide: The epidemiologic picture in New Mexico. *American Indian and Alaska Native Mental Health Research*, 4, 2-34.

Marsella, A. J., & Dash-Scheuer, A. (1988). Coping, culture, and healthy human development: A research and conceptual overview. In P. R. Dasen, J. W. Berry & N. Sartorius (Eds.), *Health and cross-cultural psychology: Toward applications* (pp. 162-178). Newbury Park, CA: Sage.

McDonald, D. (1996) *Aboriginal deaths in custody & incarceration: Looking back and looking forward*. Canberra: Australian Institute of Criminology. McIntosh, J. L., & Santos, J. F. (1980). Suicide among Native Americans: A compilation of findings. *Omega*, 11, 303-316.

McKillop, S. (Ed.). (1992). *Preventing youth suicide*. Australian Institute of Criminology Conference Proceedings No. 13. Canberra: Australian Institute of Criminology.

Medland, J. (1991). Adolescence in rural Australia in the 1990's: Lifestyle risks and counselling needs. In M. L. Craig (Ed.), *National rural health conference, 'A fair go for rural health'* proceedings (pp.135-147). Toowoomba.

Memmott, P. & Eckerman, K. (1999, October) *Cultural issues in the architectural design of indigenous custodial facilities*. Paper presented to the Australian Institute of Criminology's 'Best Practice Interventions in Corrections for Indigenous People'. Adelaide, South Australia. October.

Moller, J. (1996). Understanding national injury data regarding Aboriginal and Torres Strait Islander peoples.

Australian Injury Prevention Bulletin, Issue 14 (December).

Moller, J., Dolinis, J., & Cripps, R. (1996). *Aboriginal injury-related hospitalisation 1991/1992. A report prepared by the Australian Institute of Health and Welfare National Injury Surveillance Unit*. Bedford Park, SA: AIHW National Injuries Surveillance Unit.

Montero, M., & Sloan, T. S. (1988). Understanding behavior in conditions of economic and cultural dependency. *International Journal of Psychology*, 23, 597-617.

National Institute of Mental Health (NIMH). (1973). *Suicide, homicide, and alcoholism among American Indians: Guidelines for help*. Rockville, Maryland: U.S. Government Printing Office.

National Mental Health Report. (1996). *Fourth Annual Report: Changes in Australia's Mental Health Services under the National Mental Health Strategy 1995-1996*. Canberra: Commonwealth Department of Health and Family Services.

Norton, I. M., & Manson, S. M. (1997). Domestic violence intervention in an urban Indian health center. *Community Mental Health Journal*, 33, 331-337.

Office of Technology Assessment (OTA). (1990). *Indian adolescent mental health*. OTA-H-446. Washington, DC: U.S. Government Printing Office.

O'Neil, J. D. (1986). Colonial stress in the Canadian Arctic: An ethnography of young adults changing. In C. R. Janes, R. Stall, & S. M. Gifford (Eds.), *Anthropology and epidemiology: Interdisciplinary approaches to the study of health and disease* (pp. 249-274). Dordrecht, Holland: D. Reidel.

O'Neil, T. D. (1993). 'Feeling worthless': An ethnographic investigation of depression and problem drinking at the Flathead reservation. *Culture, Medicine and Psychiatry*, 16, 447-469.

- Pederson, P. B., & Ivey, A. (1993). *Culture-centered counseling and interviewing skills: A practical guide*. Westport, Connecticut: Praeger.
- Pernanen, K. (1991). *Alcohol in human violence*. New York: The Guilford Press.
- Peters, R. (1981) Suicidal behavior among Native Americans: An annotated bibliography. *White Cloud Journal*, 2, 9-20.
- Phillips, D. P. & Carstensen, L. L. (1986). Clustering of teenage suicides after television news stories about suicide. *New England Journal of Medicine*, 315, 685-689.
- Phillips, D. P., Lesyna, K., & Paight, D. J. (1992). Suicide and the media. In R. W. Maris, A. L. Berman, J. T. Maltsberger, & R. I. Yufit (Eds.), *Assessment and prediction of suicide* (pp. 499-519). New York: Guilford.
- Potthoff, S. J., Bearinger, L. H., Skay, C. L., Cassuto, N., Blum, R. W., & Resnick, M. D. (1998). Dimensions of risk behaviors among American Indian youth. *Archives of Pediatrics & Adolescent Medicine*, 152, 157-163.
- Powder, P., & Law, E. (1987). *The Powder-Law report on the incidence of rising suicides by Aborigines in Queensland communities while in custody*. Report to the Minister, Brisbane.
- Pridmore, S. (1997). Suicidal behavior in the Honiara area of the Solomon Islands. *International Journal of Mental Health*, 25, 33-38.
- Radford, A. J., Harris, R. D., Brice, G. A., van der Byl, M., Monten, H., Matters, D., Neeson, M., Bryan, L., & Hassan, R. J. (1990). *Taking control: A joint study of Aboriginal social health in Adelaide with particular reference to stress and destructive behaviours, 1988-1989*. Monograph 7, Department of Primary Health Care, Flinders University, South Australia, Adelaide.
- Radley, A. (1993). *Worlds of illness: Biographical and cultural perspectives on health and disease*. London: Routledge.
- Raphael, B., & Swan, P. (1998). The mental health of Aboriginal and Torres Strait Islander people. *International Journal of Mental Health*, 26, 9-22.
- Reid, J., & Trompf, P. (1991). *The health of Aboriginal Australia*. Sydney: Harcourt Brace Jovanovich.
- Reser, J. P. (1989a). Aboriginal deaths in custody and social construction. *Australian Aboriginal Studies*, 2, 43-50.
- Reser, J. P. (1989b). Australian Aboriginal suicide deaths in custody: cultural context and cluster evidence. *Australian Psychologist*, 24, 325-342.
- Reser, J. P. (1990a). The cultural context of Aboriginal suicide: myths, meanings and critical analysis. *Oceania*, 6, 177-184.
- Reser, J. P. (1991a). Aboriginal mental health. In J. Reid & P. Trompf (Eds.), *The health of Aboriginal Australia* (pp.218-291). Sydney: Harcourt, Brace, Jovanovich.
- Reser, J. P. (1991b). The socio-historical context of Aboriginal violence. *Australian Psychologist*, 26, 209-214.
- Reser, J. P. (1992). The design of safe and humane police cells. In D. Biles & D. McDonald (Eds.), *Deaths in Custody Australia: 1980 - 1989* (pp. 147-190). Canberra: Australian Institute of Criminology.
- Reser, P. (1995). Para-suicidal behaviour and health: Investigations in two remote Aboriginal communities of North Queensland. Master of Science thesis. James Cook University. Townsville, Queensland.
- Reser, J.P. & Reser, P.A. (2000) Indigenous suicide in Australia: A re-examination of the evidence for and utility of the construct of 'cluster suicide' within indigenous communities. *Suicide and Life-*

Threatening Behavior, Submitted and under review.

Reser, J. P., Reser, P. Smithson, M. J., & Taylor, J. C. (1991, July). *Alcohol consumption patterns and consequences in North Queensland: A report of preliminary findings concerning the association between alcohol use and attempted suicide in Aboriginal communities in North Queensland*. Paper presented to the Remote Aboriginal and Torres Strait Islander communities Futures Conference. Townsville: James Cook University, 11-14 July.

Resnick, M. D., Bearman, P. S., & Blum, R. W. (1997). Protecting adolescents from harm: Findings from the National longitudinal study of adolescent health. *Journal of the American Medical Association*, 278, 823-832.

Robillard, A. B., & Marsella, A. J. (Eds.). (1987). *Contemporary issues in mental health research in the Pacific Islands*. Honolulu, Hawaii: Social Science Research Institute, University of Hawaii.

Robinson, G. (1990). Separation, retaliation and suicide: Mourning and the conflicts of young Tiwi men. *Oceania*, 60, 161-178.

Ross, C. & Davis, B. (1986) Suicide and parasuicide in a northern Canadian Indian community. *Canadian Journal of Psychiatry*, 31, 331-334.

Royal Commission into Aboriginal Deaths in Custody (RCIADC). (1991). *National Report* (5 volumes). Canberra: AGPS.

Royal Commission on Aboriginal Peoples. (1995). *Choosing life: Special report on suicide among Aboriginal people*. Ottawa: The Commission.

Rubinstein, D. H. (1983). Epidemic suicide among Micronesian adolescents. *Social Science and Medicine*, 17, 657-665.

Rubinstein, D. H. (1987). Cultural patterns and contagion: Epidemic suicide among Micronesian youth. In A. B.

Robillard & A. J. Marsella (Eds.), *Contemporary issues in mental health research in the Pacific Islands* (pp.127-148). Honolulu: Social Science Research Institute.

Rubinstein, D. H. (1995). Love and suffering: Adolescent socialisation and suicide in Micronesia. *Contemporary Pacific*, 7, 21-53.

Saggers, S., & Gray, D. (1991). *Aboriginal health and society*. North Sydney: Allen & Unwin.

Schlegel, A., & Barry, H. (1991). *Adolescence: An anthropological inquiry*. New York: The Free Press.

Schweitzer, R. Klayich, M., & McLean, J. (1995). Suicidal ideation and behaviours among university students in Australia. *Australia and New Zealand Journal of Psychiatry*, 29, 473-479.

Shore, J. H. (1975). American Indian suicide: Fact or fancy. *Psychiatry*, 38, 86-91.

Shore, J. H. (1994). Synopsis. In C. Duclos & S. M. Manson, (Eds), *Calling from the rim: Suicidal behavior among American Indian and Alaska Native adolescents* (pp. 250-268). American Indian and Alaska Native Mental Health Research, 4, Monograph. Denver, CO: University of Colorado Health Sciences Center.

Shweder, R. A. (1991). *Thinking through other cultures*. Cambridge, MA: Harvard University Press.

Sigurdson, E., Staley, D., Matas, M., Hildahl, K., & Squair, K. (1994). A 5-year review of youth suicide in Manitoba. *Canadian Journal of Psychiatry*, 39, 397-403.

Smith, D.H, & Hackathorn, L. (1982) Some social and psychological factors relating to suicide in primitive societies: A cross-cultural comparative study. *Suicide and Life-Threatening Behaviour*, 12, 195-211.

Smithson, M. J., Reser, J. P., Taylor, J. C., & Reser, P. (1991). *The James Cook University Aboriginal suicide project: Report to the Aboriginal Co-ordinating Council*. Townsville: School of Behavioural Science, James Cook University.

Spaulding, J.M. (1986) Recent suicide rates among ten Ojibwa Indian bands in Northwestern Ontario. *Omega: Journal of Death and Dying*, 16, 347-354.

Stiffman, A. R., & Davis, A. E. (Eds.). (1990). *Ethnic issues in adolescent mental health*. Newbury Park, CA: Sage.

Strickland, C. (1996). Suicide among American Indian, Alaskan Native and Canadian aboriginals. *International Journal of Mental Health*, 25, 11- .

Sue, D.W., & Sue, D. (1999). *Counseling the culturally different: Theory and practice* (3rd ed.). Brisbane: John Wiley.

Sutton, P. (1989). *Dreamings: The art of Aboriginal Australia*. Ringwood, Victoria: Viking.

Swan, P., & Fagan, P. (1991). *The New South Wales Mental Health Report*. Redfern, AMS.

Swan, P., & Raphael, B. (1995). *Ways forward: National consultancy report on Aboriginal and Torres Strait Islander Mental Health*. Commonwealth Department of Health and Family Services. Canberra: AGPS.

Tatz, C. (1990). Aboriginal violence: A return to pessimism. *Australian Journal of Social Science*, 25, 245-260.

Tatz, C. (1994). *Aborigines: Sport, violence and survival. A report to the Criminology Research Council*. Centre for Comparative Genocide Studies, Macquarie University: Sydney, New South Wales.

Tatz, C. (1999) *Aboriginal suicide is different. A report to the Criminology Research Council*. Canberra: Australian Institute of Criminology.

Thomson, J. W. (1989). Prevention of adolescent suicide among American Indian and Alaska Native peoples. In *Report of the secretary's task force on youth suicide, Volume 4: Strategies for prevention of youth suicide*. Washington, D.C.: Government Printing office (DHSS Publication No. ADM 89-1624).

Thompson, J. W., & Walker, R. D. (1990). Adolescent suicide among American Indians and Alaska Natives. *Psychiatric Annals*, 20, 128-133.

Thorpe, M. (1998). Indigenous issues. Special edition. *InPsych*, 20, 12-19.

Tower, M. (1989). A suicide epidemic in an American Indian community. *American Indian and Alaska Native Mental Health Research*, 3, 34-44.

Travis, R. (1983). Suicide in northwest Alaska. *White Cloud Journal*, 3, 23-30.

Triandis, H. C. (1996). The psychological measurement of cultural syndromes. *American Psychologist*, 51, 407-415.

Trimble, J. E. (1988). American Indian mental health and the role of training for prevention. In S. M. Manson (Ed.), *New directions in prevention among American Indians and Alaska Native communities*. Denver: University of Colorado Health Services Center.

Trimble, J. E., & Fleming, C. M. (1989). Providing counseling services for Native American Indians: Client, counselor and community characteristics. In P. B. Pederson, J. G. Draguns, W. J. Lonner & J.E. Trimble (Eds.), *Counseling across cultures*. Honolulu: University of Hawaii Press.

U.S. Department of Health and Human Services (USDHHS). (1989). *Report of the secretary's task force on youth suicide. Volume I Overview and recommendations*. (DHHS Publication No. ADM 89-1621). Washington, D.C.: U.S. Government Printing Office.

U.S. Department of Health and Human Services (USDHHS). (1989). *Report of the secretary's task force on youth suicide. Volume II Risk factors for youth suicide*. (DHHS Publication No. ADM 89-1621). Washington, D.C.: U.S. Government Printing Office.

Van Winkle, N.W. & May, P.A. (1986) Native American suicide in New Mexico, 1957-1979: A comparative study. *Human Organization*, 45, 296-309.

Veno, A., Berends, L., & Drysdale, M. (1996). Stress and coping in Aboriginal communities of Australia. In D. Thomas & A. Veno, A. (Eds.), *Psychology and social change* (2nd ed., pp.257-280). Palmerston North, NZ: The Dunmore Press.

Waldram, J. B. (1997). Aboriginal peoples of Canada. In I. Al-Issa & M. Tousignant (Eds.), *Ethnicity, immigration and psychopathology* (pp. 168-187). New York: Plenum Press.

Ward, J. A. (1984). Preventive implications of a Native Indian mental health program: Focus on suicide and violent death. *Journal of Preventive Psychiatry*, 2, 371-385.

Ward, J. A., & Fox, J. (1977). A suicide epidemic on an Indian reservation. *Canadian Psychiatric Association Journal*, 22, 423-426.

Webb, J. P., & Willard, W. (1975). Six American Indian patterns of suicide. In N. L. Farberow (Ed.), *Suicide in different cultures*. Baltimore, Maryland: University Park Press.

Westlake, N., Van Winkle, M., & May, P. A. (1993). An update on American Indian suicide, 1980-1987. *Human Organization*, 52, 304-316.

Wilson, P. (1988). *Black death, white hands*. Sydney: George Allen and Unwin.

Wikan, U. (1990). *Managing turbulent hearts*. Chicago, IL: University of Chicago Press.

Wyche, K. F., & Rotheram-Borus, M. J. (1990). Suicidal behavior among minority youth in the United States. In A. R. Stiffman & A. E. Davis (Eds.), *Ethnic issues in adolescent mental health* (pp. 323-338). Newbury Park, CA: Sage.

Young, T.K. (1988) Poverty, suicide and homicide among Native Americans. *Psychological Reports*, 67, 1153-1154.